








2" X 12" RADIUS HORIZONTAL TRACK


PART NUMBER		LENGTH	HEIGHT	WEIGHT	
LH	RH				
	431-2001	431-2000	10'0"	7'	8.135 lb / ea
	431-2003	431-2002	11'0"	8'	9.126 lb / ea
	431-2005	431-2004	12'0"	9'	10.117 lb / ea
	431-2007	431-2006	13'0"	10'	11.1 lb / ea
	431-2009	431-2008	14'0"	11'	12.09 lb / ea
	431-2011	431-2010	15'0"	12'	13.09 lb / ea
	431-2013	431-2012	16'0"	13'	14.08 lb / ea
	431-2015	431-2014	17'0"	14'	15.07 lb / ea



Length = total distance around radius to end of track rounded up to the next foot.
Height = door height (for standard lift door) or door height minus high lift

2" X 16" RADIUS HORIZONTAL TRACK

PART NUMBER		LENGTH	HEIGHT	WEIGHT	
LH	RH				
	431-2027	431-2026	8'0"	5'	6.7 lb / ea
	431-2029	431-2028	9'0"	6'	7.7 lb / ea
	431-2031	431-2030	10'0"	7'	8.7 lb / ea
	431-2033	431-2032	11'0"	8'	9.7 lb / ea
	431-2035	431-2034	12'0"	9'	10.7 lb / ea
	431-2037	431-2036	13'0"	10'	11.7 lb / ea
	431-2039	431-2038	14'0"	11'	12.7 lb / ea
	431-2041	431-2040	15'0"	12'	13.7 lb / ea
	431-2043	431-2042	16'0"	13'	14.7 lb / ea
	431-2045	431-2044	17'0"	14'	15.7 lb / ea
	431-2047	431-2046	18'0"	15'	16.7 lb / ea
	431-2049	431-2048	19'0"	16'	17.7 lb / ea



Length = total distance around radius to end of track rounded up to the next foot.
Height = door height (for standard lift door) or door height minus high lift.





Richards-Wilcox

Engineered For Life

HORIZONTAL TRACK

3" X 16" RADIUS HORIZONTAL TRACK

	PART NUMBER		LENGTH	HEIGHT	WEIGHT
	LH	RH			
 	431-3007	431-3006	10'0"	7'	15.97 lb / ea
	431-3009	431-3008	11'0"	8'	17.8 lb / ea
	431-3011	431-3010	12'0"	9'	19.63 lb / ea
	431-3013	431-3012	13'0"	10'	21.46 lb / ea
	431-3015	431-3014	14'0"	11'	23.29 lb / ea
	431-3017	431-3016	15'0"	12'	25.12 lb / ea
	431-3019	431-3018	16'0"	13'	26.95 lb / ea
	431-3021	431-3020	17'0"	14'	28.78 lb / ea
	431-3023	431-3022	18'0"	15'	30.61 lb / ea
	431-3025	431-3024	19'0"	16'	32.44 lb / ea
	431-3027	431-3026	20'0"	17'	34.27 lb / ea
	431-3029	431-3028	21'0"	18'	36.1 lb / ea
	431-3031	431-3030	22'0"	19'	37.93 lb / ea
	431-3033	431-3032	23'0"	20'	39.76 lb / ea
	431-3035	431-3034	24'0"	21'	41.59 lb / ea
	431-3037	431-3036	25'0"	22'	43.42 lb / ea
	431-3039	431-3038	26'0"	23'	45.25 lb / ea
	431-3041	431-3040	27'0"	24'	47.08 lb / ea

Length = total distance around radius to end of track rounded up to the next foot.

Height = door height (for standard lift door) or door height minus high lift.



HORIZONTAL CURVE ONLY

	PART NUMBER		LENGTH	WEIGHT
	LH	RH		
	431-0051	431-0050	2" x 12" R	3.6 lb / ea
	431-0053	431-0052	2" x 16" R	3.9 lb / ea
	431-0061	431-0060	3" x 16" R	7.6 lb / ea

2" HORIZONTAL ANGLE

	PART NUMBER	LENGTH	WEIGHT
<p>2 15/32" x 1 1/4"</p>	425-2010	72"	5.13 lb / ea
	425-2021	108"	7.7 lb / ea
	425-2022	132"	9.41 lb / ea
	425-2023	156"	11 lb / ea
	425-2024	180"	12.83 lb / ea
	425-2025	204"	14.54 lb / ea
	425-2026	228"	16.25 lb / ea

3" HORIZONTAL ANGLE

	PART NUMBER	LENGTH	WEIGHT
<p>3 1/8" x 1 1/4"</p>	425-2011	90"	9.075 lb / ea
	425-2031	108"	10.89 lb / ea
	425-2032	132"	13.31 lb / ea
	425-2033	156"	15.73 lb / ea
	425-2034	180"	18.15 lb / ea
	425-2035	204"	20.57 lb / ea
	425-2036	228"	22.99 lb / ea
	425-2037	252"	25.41 lb / ea
	425-2038	276"	27.83 lb / ea
	425-2039	300"	30.43 lb / ea